MATERIAL SAFETY DATA SHEET

Page 1 of 7

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 05/13/2011

	1. PRODUCT IDENTIFICATION					
1.1	Product Name:					
	DRIP DRY NAIL POLISH DRYER					
1.2	Chemical Name:					
1.2	NA					
1.3	Synonyms:					
	NA					
1.4	Trade Names;					
	AL 711, AL 712, AL 714, AL 715					
1.5	Product Use: PROFESSIONAL OR SUNDRY USE ONLY					
1.6	Manufacturer's Name:					
	OPI PRODUCTS, INC.					
1.7	Manufacturer's Address:					
	13034 SATICOY STREET, NO. HOLLYWOOD, CA 91605 USA					
1.8	Emergency Phone:					
1.9	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 Business Phone:					
1.9	+1 (818) 759-2400 / +1 (800)-341-9999					
	(616) 107 2162 / 1 (636) 5 11 11 11					
	2. HAZARD IDENTIFICATION					
2.1	Hazard Identification:					
	This product is classified as a HAZARDOUS SUBSTANCE and as DANGEROUS GOODS according to the classification criteria of					
2.2	NOHSC:1008 (2004) and ADG Code (Australia). Flammable liquid. Routes of Entry: YES Absorption: YES Ingestion: YES					
2.3	Routes of Entry: Inhalation; YES Absorption: YES Ingestion: YES Effects of Exposure:					
	INGESTION: Material may be irritating to stomach & digestive tract.					
	EYES: May cause eye irritation.					
	SKIN: May cause skin irritation.					
	INHALATION: Material may be irritating to mucous membranes.					
2.4	Symptoms of Overexposure:					
	EYES: Redness, watering or swelling, if in eyes.					
	SKIN: Redness, irritation or itching on skin at site of contact.					
2.5	Acute Health Effects:					
	EYES: Vapor or mist may be irritating to eyes, mucous membranes & upper respiratory tract.					
	SKIN: May cause skin irritation at site of contact in some sensitive individuals. INHALATION: Vapor or mist may be irritating to mucous membranes & upper respiratory tract.					
2.6	Chronic Health Effects:					
	None known.					
2.7	Target Organs:					
	Eyes and skin.					
	Not Available; ND = Not Determined; NE = Not Established; NF = Not Found; C = Ceiling Limit; See Section 16 for Additional Definitions of					
Ierm	s Used, Note: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.					

HAZCHEM CODE: 3(Y)E

MATERIAL SAFETY DATA SHEET

Page 2 of 7

MSDS-026

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0

MSDS Revision Date: 05/13/2011

rrep	area to OSHA, A	ICC, ANSI, NO	HOC, WHMIS S	\$ 2001/58 EC 5	tanaaras 1	M2D2 KG	vision:	2.0	- 1	NIZDZ F	evisior	Date	: US/ 13	12011	
			3. CON	APOSITION	& INGRE	DIENT	INFO)RM	ATIO	N					
									EXPO	SURE L	AI STIM	AIR (mg/m	3)	
							ACGIH		NOHSC		OSHA				
							pr	m	ppm			ppm			OTHER
	CHEMICAL NA	AME(S)	CAS No.	RTECS No.	EINECS No.	% ≤ 90.0 ≤ 10.0	NA N	STEL	ES- TWA	ES- STEL	ES- PEAK	NA NA	STEL	IDLH	
DISILO	OXANE		107-46-0	JM9237000	203-492-7 215-648-1				NF NF	NF NF	NF NF		NA	NA	
DIME	THICONE		63148-62-9	JJ6484500									NA	NA.	
SIMM SEED	ONDSIA CHINEN OIL	SIS (JOJOBA)	61789-91-1	NY9262700	289-964-3	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
rocc	PHEROL		59-02-9	DJ2900000	202-592-8	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
				4. FII	RST AID M	EASUF	RES								
4.2	INGESTION: EYES: SKIN: INHALATION: Medical Condition: None known.	spontaneouslin case of coeyelid(s) to end in case of sk clothing until if irritation occrespiration and	elephone nur y, keep victin ontact, imme nsure thoroug in irritation, ir after it has be curs remove d seek imme	mber for assist n's head lower diately flush of th irrigation. If mmediately we en properly cl affected indivi diate medical	tance and instance (forward) to eyes with coperated to persist ash skin with seaned. If irritational to fresh attention.	tructions o reduce blous am its, consu soap ane ition pers air. Und	. Seek the ris nounts ult a ph d copi sists, co er extr	c imme ik of as of wai ysician ous an onsult c	ediate spiration er for n. nounts a physi	medic n. at lea of wa cian.	cal atte ist 15 i ter. D	ention. minute o not	If vo	miting en and contan	occurs d close ninated
				5. FIRE	FIGHTING	WFY2	UKE	<u> </u>							
5.1	Flashpoint & Metho	od;													
5.2	AutoignItlon Tempe	erature:				170									
5.3	Flammability Limits:			Lower Explosiv	ve Limit (LEL):		0.7	L	Jpper	Explosi	ve Limi	t (UEL)	:	ND	
5.4	Fire & Explosion Haz Warning: Flam		away from lit	cigarettes, sp	arks and oper	n flames.	Кеер	contai	iner clo	osed.					
5.6	Extinguishing Metho CO ₂ , Halon, Dr Firefighting Proced When involved First responde equipment. U extinguishing of	y Chemical, Foures: d in a fire, this pars should wear se a water spragifie involving	product will ig r eye protect ay or fog to r	nite readily ar ion. Structura	nd decompose I firefighters m	nust wea	r SCBA	s and	full pro	otectiv		<	13	0	>

MATERIAL SAFETY DATA SHEET

Page 3 of 7

MSDS-026

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 05/13/2011

6. ACCIDENTAL RELEASE MEASURES

6.1 Spills

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.

For small spills (e.g., < 1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills ≥ 1 gallon (3.785 liters), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

7. HANDLING & STORAGE INFORMATION

7.1 Work & Hyalene Practices:

Use in a well-ventilated location (e.g., local exhaust ventilation, fans). Avoid breathing mists or sprays of this product. Do not eat, drink or smoke while handling product.

7.2 Storage & Handling:

Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. Keep container closed when not is use. Empty container may contain residual amounts of this product. Therefore, empty containers should be handled with care. Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (see Section 10).

7.3 Special Precautions:

Store in original container. Do not store where temperatures can exceed 120 °F.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 Ventilation & Engineering Controls:

Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). Use in a chemical fume hood when working with large quantities of product and provide adequate ventilation (e.g., local exhaust ventilation, fans).

8.2 Respiratory Protection:

No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.

8.3 Eye Protection:

Avoid eye contact. Safety glasses with side shields should be used when handling large quantities (e.g., ≥ 1 gallon) of this product.

8.4 Hand Protection:

None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon), wear rubber or impervious plastic gloves.

8.5 Body Protection:

No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available.

9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Density;	0.78			
9.2	Bolling Point:	212 °F			
9,3	Melting Point:	ND			
9.4	Evaporation Rate:	< 1.0 (n-BuAc = 1.0)			
9.5	Vapor Pressure:	ND			
9.6	Molecular Welght:	NE NE			
9.7	Appearance & Color:	Clear liquid with characteristic odor.			
9.8	Odor Threshold:	NE			
9.9	Solubility:	Immiscible with water			
9.10	На	NA NA			
9.11	Viscosity:	< 500 cPs			
9.12	Other Information:	NA .			

MATERIAL SAFETY DATA SHEET

Page 4 of 7 **MSDS-026**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 05/13/2011 10. STABILITY & REACTIVITY 10.1 Stable under ambient conditions when stored properly. (See Section 7). 10.2 Hazardous Decomposition Products: Oxides of carbon and nitrogen. 10.3 Hazardous Polymerization: WIII not occur. 10.4 Exposure or contact with extreme temperatures or incompatible materials. 10.5 Incompatible Substances: Strong oxidizers, acids and alkalis. 11. TOXICOLOGICAL INFORMATION 11.1 Toxicity Data: This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document. 11.2 Acute Toxicity: See section 2.3 11.3 Chronic Toxicity: See section 2.6 11.4 Suspected Carcinogen: Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.6 Irritancy of Product: See section 2.3 11.7 Biological Exposure Indices: NE 11.8 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION Environmental Stability: This product will slowly volatilize from soil. Components of this product will slowly decompose into organic compounds. Effects on Plants & Animals: There are no specific data available for this product. 12.3 Effects on Aquatic Life: There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Dispose of in accordance with all Federal, state, and local regulations. 13.2 Special Considerations: U.S. EPA WASTE NUMBER: D001 (Characteristic – Ignitable)

MATERIAL SAFETY DATA SHEET

Page 5 of 7

MSDS-026

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 05/13/2011

14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation.

Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADGR and the CTDGR.

7100	included action in the intermediate that the content of the intermediate in the content of the content of the intermediate in the content of the conten
14.1	49 CFR (GND):
	CONSUMER COMMODITY, ORM-D (≤ 1.0 L)
	UN1993, FLAMMABLE LIQUID, N.O.S. (DISILOXANE, DIMETHICONE), 3, II (> 1.0 L)
14.2	IATA (AIR):
	CONSUMER COMMODITY, 9, ID8000 (≤ 0.5 L)
	UN1993, FLAMMABLE LIQUID, N.O.S. (DISILOXANE, DIMETHICONE), 3, II, LTD QTY (≤ 1.0 L)
	UN1993, FLAMMABLE LIQUID, N.O.S. (DISILOXANE, DIMETHICONE), 3, II (> 1.0 L)
14.3	IMDG (OCN):
	UN1993, FLAMMABLE LIQUID, N.O.S. (DISILOXANE, DIMETHICONE), 3, II, LTD QTY (≤ 1.0 L)
	UN1993, FLAMMABLE LIQUID, N.O.S. (DISILOXANE, DIMETHICONE), 3, II (> 1.0 L)
14.4	TDGR (Canadian GND):
	MARK PACKAGE "LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE" (≤ 1.0 L)
	UN1993, FLAMMABLE LIQUID, N.O.S. (DISILOXANE, DIMETHICONE), 3, II (> 1.0 L)
14.5	ADR/RID (EU):
	UN1993, FLAMMABLE LIQUID, N.O.S. (DISILOXANE, DIMETHICONE), 3, 11, ADR, LTD QTY (≤ 1.0 L)
14.6	SCT (MEXICO):
	UN1993, LIQUIDOS INFLAMABLES, N.E.P. (DISILOXANE, DIMETHICONE),3, II, CANTIDAD LIMITADA (≤1.0 L)
14.7	ADGR (AUS):
	UN1993, FLAMMABLE LIQUID, N.O.S. (DISILOXANE, DIMETHICONE), 3, II, LTD QTY (≤ 1.0 L)







15. REGULATORY INFORMATION

15.1	U.S. EPA SARA Title III Reporting Requirements:
10.1	1 0.0. El 7 0/10/1 mic ili kepolili g kegolieli el ili.

NA

15.2

U.S. EPA SARA Title III Threshold Planning Quantity (TPQ):

There are no specific Threshold Planning Quantities for the components of this product.

15.3 U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory.

15.4 U.S. CERCLA Reportable Quantity (RQ):

NA

15.5 Other U.S. Federal Requirements:

This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).

15.6 Other Canadian Regulations:

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. Class B2 Flammable Liquid.



15.7 U.S. State Regulatory Information:

No components of this product are listed on the California Proposition 65 lists.

15.8 European Union 67/548/EEC and Australia NOHSC:2011 (2003) Requirements:

The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC.

<u>Disiloxane</u>: Flammable (F). Flammable (F). R: 11 – Highly flammable. S: 16 - Keep away from sources of Ignition - No smoking. HAZCHEM CODE: 3(Y)E



 $0.P \cdot I$

e-mail: shipmate@shipmate.com

MATERIAL SAFETY DATA SHEET

Page 6 of 7

MSDS-026

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 05/13/2011 16. OTHER INFORMATION 16.1 Other Information: Keep out of reach of children. Do not take internally. Store in a cool, dry place. Keep away from heat and open flame. 16.2 Terms & Definitions: Please see last page of this MSDS. 16.3 This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI Products' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: 16.4 OPI Products, Inc. 13034 Saticoy Street $0.P \cdot I$ No. Hollywood, CA 91605 USA +1 (818) 759-2400 phone +1 (818) 759-5770 fax http://www.opi.com/ Prepared by: 16.5 ShipMate, Inc. PO Box 787 Sisters, OR 97759-0787 USA Phone: +1 (310) 370-3600 Training & Consulting Fax: +1 (310) 370-5700

MATERIAL SAFETY DATA SHEET

Page 7 of 7

MSDS-026

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 05/13/2011

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number			
CHO NO.	Chemical ypsilact service inamber			

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
AH2O	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

	Cardiopulmonary resuscitation - method in which a person
CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:

A	6			
В	B			
С	00	P	~	
D			~	
E	8			
F	6		4	





Vapor Respirator





Respirator



Face Shield &

Eve Protection



Dust Respirator Airline Hood/Mask or

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

FLAMMABILITY LIMITS IN AIR:


Autolgnition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an Ignition source

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained BreathIng Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0	Minimal Hazard				
1	Slight Hazard Moderate Hazard Severe Hazard Extreme Hazard Acidic Alkaline Corrosive Use No Water				
2					
3					
4					
ACD					
ALK					
COR					
-₩ -					
ОХ	Oxidizer				



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s							
LC _{s0}	Lethal concentration (gases) which kills 50% of the exposed animal							
ppm	Concentration expressed in parts of material per million parts							
TDie	Lowest dose to cause a symptom							
TCLo	Lowest concentration to cause a symptom							
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic							
TC, TCo, LCio, & LCo	effects							
IARC	International Agency for Research on Cancer							
NTP	National Toxicology Program							
RTECS	Registry of Toxic Effects of Chemical Substances							
BCF	Bioconcentration Factor							
TL _m	Median threshold limit							
log Kow or log Koc	Coefficient of Oil/Water Distribution							

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
IC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	DSL Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
CPR	CPR Canada's Controlled Product Regulations					

EC INFORMATION:

17.4	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1	*	8	.0:	*	
С	E	F	N	0	T+	Xi	Xn
Солозіче	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irrilant	Harmful

WHMIS INFORMATION:

\bigcirc		(8)		1	®	(F. F.)	
Α	В	C	D1	D2	D3	Е	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive