MATERIAL SAFETY DATA SHEET

Page 1 of 8

MSDS-172

Prep	ared to OSHA, ACC, ANSI, N	OHSC, WHMIS	& 2001/58 EC	Standards	MSDS	Revisior	n: 2.0		MSDS	Revisi	on Da	te: 01/	12/201	0
			1 PROI	DUCT IDE	NTIFI	^ ATIC	NC NC							
1.1	Product Name:		1. 1 KOI	DOCT IDE		CAII	J 1							
	AVOPLEX CUTICLE	OIL TO G	0											
1.2	Chemical Name: BOTANICAL OIL MIXTURE													
1.3	Synonyms:													
1.4	NA Trade Names:													
_	AV 784 & AV 782													
1:5	Product Use: PROFESSIONAL OR SUNDRY	USE ONLY												
1.6	Distributor's Name: OPI PRODUCTS, INC													
1.7	Distributor's Address:													
.030	13034 SATICOY STREET, NO.	HOLLYWOOD,	CA 91605 USA											
1.8	Emergency Phone:	7 2007 / 1	1 (000) 404	2007										
1.9	CHEMTREC: +1 (703) 52 Business Phone:	27-3887 / +	1 (800) 424-	3887										
	+1 (818) 759-2400 / 1-800-3	41-9999												
			2. HAZ	ARD IDE	NTIFIC	ATIO	N							
2.1	Hazard Identification:													
	This product is NOT classifie 1088 (2004) and ADG Code	d as a HAZAR (Australia).	DOUS SUBSTAN	NCE or as DA	ANGERO	US GOO	DDS ac	cordir	ig to th	ne clas	sificat	lon cri	eria of	NOHSC:
2.2	Routes of Entry:		Inhalation:	NO	Al	osorptio	n:	YI	ES	Inge	estion:		YE	S
2.3	Effects of Exposure:			1										
			may cause na											
			yes. May be ir											ontact.
		is unlikely; ho	wever, vapors	of this produ	ict may	be sligh	tly irrit	ating t	o some	sensil	ive ind	lividuo	ls.	
2.4	Symptoms of Overexposure:													
2.5	Symptoms of overexposure Acute Health Effects:	may include i	redness, itchin	g, and irritati	on.									
2.0	SKIN: Redness, Itching, and	irritation of ski	n at the site of	contact for	ome se	nsitive i	ndividu	ıale						
2.6	Chronic Health Effects:	illianon or sid	ir ar me she or	Comacinors	orne se	I SIII V C I	IIIIIII	Juis.						
	No chronic health effects a ingestion.	re known, alti	hough sympto	ms and disc	omfort n	nay oc	cur for	sever	al days	follow	ing o	/erexp	osure 1	iollowing
2.7	Target Organs:													
	Eyes; Skin													
		3. COM	APOSITION	N & INGR	EDIEN	IT INF	ORA	AATIO	NC					
										IMITS I	N AIR (mg/m	3)	
						AC	GIH		NOHSC					
						pp	m		ppm			ppm		OTHER
	CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA			PFI	STEI	IDIH	
	A GRATISSIMA (AVOCADO)	84965-98-7	NA	232-428-0	≤ 25.0	NA NA	NA	NF						
OIL ETHYL	HEXYL PALMITATE	29806-73-3	NA	249-862-1	≤ 20.0	NA	NA	NF		JRE LIMITS IN AIR (mg/m³) DHSC OSHA				
VITIS VINFERA (GRAPE) SEED OIL		8024-22-4	NA	273-313-5	≤ 15.0	NA	NA	NF	_				-	
	NTHUS ANNUS (SUNFLOWER)	8001-21-6	NA	232-273-9	≤ 10.0	NA	NA	NF	NF	NF	NA	NA	NA	
	211		1											
ISOPR	OPYL PALMITATE	142-91-4	RT4900000	205-571-1	< 10.0	NΔ	NΔ	NF	NF	NF	NA	NA	NA	
ISOPR		142-91-6	RT4900000	205-571-1	≤ 10.0	NA	NA	NF	NF	NF	NA	NA	NA	

NA = Not Available; ND = Not Determined; NE = Not Established; NF = NOT Found; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used

NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2003 format.

MATERIAL SAFETY DATA SHEET

Page 2 of 8

MSDS-172

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 01/12/2010

	J. J. J.	NPOSITION							IMITS I	N AIR	(ma/n	13)	
					AC	GIH		OHSC			OSHA		
						om		ppm		ppm			OTHER
CUTINGAL MANEGO	CACNA	DTECS No.	EINECS No.	%	TLV	STEL	ES-	ES- STEL	ES-	PEL	STEL	IDLH	
CHEMICAL NAME(S) SESAMUM INDICUM (SESAME) SEED	CAS No.	RTECS No.	EINECS NO.			SIEL	TWA		PEAK	PEL			
OIL	8008-74-0	VU3940000	232-369-0	≤ 10.0	NA	NA	NF	NF	NF	NA	NA	NA	
SILICA	7631-86-9	VV7565000	231-545-4	≤ 10.0	(6)	NE	NF	NF	NF	(6)	NE	NE	DUST
LECITHIN	8002-43-5	OG7565000	297-639-2	≤ 10.0	NA	NA	NF	NF	NF	NA	NA	NA	
CAPRIC/CAPRYLIC TRIGLYCERIDE	73398-61-5	NA	277-452-2	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
ALCOHOL	64-17-5	KQ630000	200-578-6	≤ 3.0	1000	3000	1000	NF	NF	1000	3000	NE	
ASCORBYL PALMITATE	137-66-6	CI7671040	205-305-4	≤ 3.0	NA	NA	NF	NF	NF	NA	NA	NA	
GLYCERYL STEARATE	31566-31-1	RG1925000	250-705-4	≤ 3.0	NA	NA	NF	NF	NF	NA	NA	NA	
OLEIC ACID	112-80-1	RG2275000	204-007-1	≤ 3.0	NA	NA	NF	NF	NF	NA	NA	NA	
ALEURITES MOLUCCANA (KUKUI NUT) SEED OIL	8015-80-3	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
FRAGRANCE (PARFUM)	NA	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
BUTYLATED HYDROXYTOLUENE	128-37-0	GO7875000	204-881-4	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
METHYLPARABEN	99-76-3	DH2450000	202-785-7	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
TOCOPHEROL	1406-18-4	NA	215-798-8	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
a-TOCOTRIENOLS	58864-81-6	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
LIMONENE	138-86-3	CS8100000	205-341-0	NA	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGE
HEXYL CINNAMAL	101-86-0	GD6560000	202-983-3	NA	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGE
BENZYL SALICYLATE	118-58-1	VO1750000	201-262-9	NA	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGE
BUTYLPHENYL METHYLPROPIONAL	80-54-6	MW4895000	201-289-8	NA	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGE
LINALOOL	78-70-6	RG5775000	201-134-4	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGE
HYDROXYCITRONELLAL	107-75-5	RG7850000	203-518-7	NA	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGE
GERANIOL	106-24-1	RG5830000	203-377-1	NA	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGE
HYDROXYISOPEXYL 3- CYCLOHEXENE CARBOXALDEHYDE	31906-04-4	NA	250-863-4	NA	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGE
BENZYL ALCOHOL	100-51-6	ND3150000	202-859-9	NA	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGE

HYDR	OXYCITRONELLA	AL	107-75-5	RG7850000	203-518-7	NA_	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
GERA	NIOL	106-24-1	RG5830000	203-377-1	NA	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN	
	OXYISOPEXYL 3 OHEXENE CARB		31906-04-4	NA	250-863-4	NA	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
BENZY	L ALCOHOL		100-51-6	ND3150000	202-859-9	NA	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
						W			3.		1.		-		72.
				4. FI	RST AID A	MEAS	URES								
4.1	First Aid:											_			
	INGESTION:	If Ingested, do plenty of water local emerge	er or milk. Ne	ever give wate	er or milk to c	ın unco	nscious	s persor	ı. Con	tact th	ie nea	rest Po	ison C	ontrol	ue to offer Center or
	EYES:								e eyelid(s)						
	SKIN:	If redness, dry soap. If irritati				in deve	lop, w	ash affe	cted s	kin ar	eas wi	th pler	ity of v	warm v	water and
	INHALATION:	Remove victir	m to fresh air	at once.											
4.2	Medical Condition	ns Aggravated by Ex	(posure:						HEA	LTH					1
	None known.									and the days	VO CHO		SUPPLIES.		
									FLA	MM,	ABIL	TY		mone	0
									REA	CTIV	/ITY	+=(1)			0
									PRC	TEC	TIVE	EQU	IPM	ENT	

EYES

SKIN

MATERIAL SAFETY DATA SHEET

Page 3 of 8

MSDS-172

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 01/12/2010

5. FIREFIGHTING MEASURES

5.1 Flashpoint & Method:

Non-flammable.

5.2 Autolanition Temperature:

NA

5.3 Flammability Limits:

Lower Explosive Limit (LEL):

NIA

Upper Explosive Limit (UEL):

NA

5.4 Fire & Explosion Hazards:

This product is non-flammable. When exposed to high temperatures, may produce hazardous decomposition products such as carbon monoxide, carbon dioxide and smoke.

5.5 Extinguishing Methods:

NA

5.6 Firefighting Procedures:

As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear.



6. ACCIDENTAL RELEASE MEASURES

6.1 Spill

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.

For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

7. HANDLING & STORAGE INFORMATION

7.1 Work & Hyglene Practices:

Avoid eye contact. Do not eat, drink or smoke when handling this product. Keep away from foodstuffs and beverages.

7.2 Storage & Handling:

Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use.

7.3 Special Precautions:

Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

None known or reported.

MATERIAL SAFETY DATA SHEET

Page 4 of 8 **MSDS-172**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 01/12/2010 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Ventilation & Engineering Controls: 8.1 General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Respiratory Protection: None required. 8.3 Eve Protection: None required under normal conditions of use. Avoid eye contact. May cause Irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon), safety glasses with side shields should be used. 8.4 Hand Protection: None required under normal conditions of use. May cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon), wear rubber or impervious plastic gloves. Body Protection: 8.5 No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Density: 0.9300-0.9600 9.2 **Boiling Point:** ND 9.3 Melting Point: ND 9.4 **Evaporation Rate:** ND 9.5 Vapor Pressure: ND 9.6 Molecular Welght: 9.7 Appearance & Color: Tube w/brush, contents oily liquid, slight color 9.8 Odor Threshold: ND 9.9 Solubility: Soluble 9.10 рΗ NA 9.11 VIscosity: 18,000 cp Other Information: NA 10. STABILITY & REACTIVITY Stability: This product is stable. 10.2 Hazardous Decomposition Products: Oxides of carbon and nitrogen. 10.3 Hazardous Polymerization: WIII not occur. 10.4 Conditions to Avoid: Open flames, sparks, high heat and direct sunlight. 10.5 Incompatible Substances:

MATERIAL SAFETY DATA SHEET

Page 5 of 8 **MSDS-172**

MSDS Revision Date: 01/12/2010 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 11. TOXICOLOGICAL INFORMATION Toxicity Data: 11.1 The product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document. 11.2 Acute Toxicity: See section 2.5 Chronic Toxicity: 11.3 See section 2.6 11.4 Suspected Carcinogen: 11.5 This product is not reported to produce reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity: This product is not reported to produce reproductive effects in humans. 11.6 Irritancy of Product: See Section 2.3 11.7 Biological Exposure Indices: NE 11.8 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION Environmental Stability: 12.1 There is no specific data available for this product. 12.2 Effects on Plants & Animals: There is no specific data available for this product. 12.3 Effects on Aquatic Life: There is no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Dispose of in accordance with federal, state and local regulations. 13.2 Packagings should be emptied as much as possible and after rinsing, sent for recycling.

MATERIAL SAFETY DATA SHEET

Page 6 of 8

MSDS-172

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 01/12/2010 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): 14.1 **NOT REGULATED** IATA (AIR): **NOT REGULATED** 14.3 IMDG (OCN): **NOT REGULATED** TDGR (Canadian GND): 14.4 **NOT REGULATED** ADR/RID (EU): 14.5 **NOT REGULATED** SCT (MEXICO): **NOT REGULATED** 15. REGULATORY INFORMATION 15.1 SARA Reporting Regulrements: NA 15.2 SARA Threshold Planning Quantity: NA 15.3 TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status. CERCLA Reportable Quantity (RQ): NA 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. State Regulatory Information: Silica can be found on the following state right to know lists: California, New Jersey, Florida, Pennsylvania, Minnesota, and Massachusetts. Ethanol can be found on the following state Hazardous Substance List: Massachusetts, Minnesota and Pennsylvania. Ethanol is listed on the Washington Permissible Exposure Limits for Air Contaminants. 67/548/EEC (European Union) Requirements: The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC.

MATERIAL SAFETY DATA SHEET

Page 7 of 8

MSDS-172

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 01/12/2010

16. OTHER INFORMATION

Other Information:

Use only as directed. Discontinue use immediately if irritation develops.

16.2 Terms & Definitions:

Please see last page of this MSDS.

This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910,1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI Products Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The Information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

16.4 Prepared for:

OPI PRODUCTS, Inc. 13034 Saticoy St.

NO. Hollywood, California 91605 USA

Tel: +1 (818) 759-2400 Fax: +1 (760) 431-9904 http://www.opi.com

 $0 \cdot P \cdot I$

16.5 Prepared by:

> ShipMate, Inc. PO Box 787

Sisters, OR 97759-0787 USA Phone: +1 (310) 370-3600

Fax: +1 (310) 370-5700

e-mail: shipmate@shipmate.com



MATERIAL SAFETY DATA SHEET

Page 8 of 8

MSDS-172

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0

MSDS Revision Date: 01/12/2010

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

and a late to all Collaboration
emical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:

A	8		
В	8		
С	B	~	
D		~	
Е	8		
F	B	4	





or for large volume spllls or releases of product. FLAMMABILITY LIMITS IN AIR:


Autoignition Temperature	Minimum temperature required to Initlate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

OTHER STANDARD ABBREVIATIONS:

Not Available
No Results
Not Established
Not Determined
Maximum Limit
Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

Minimal Hazard
Slight Hazard
Moderate Hazard
Severe Hazard
Extreme Hazard
Acidic
Alkaline
Corrosive
Use No Water
Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s						
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal						
ppm	Concentration expressed in parts of material per million parts						
TDio	Lowest dose to cause a symptom						
TCLo	Lowest concentration to cause a symptom						
TDIo, LDIo, & LDo or	Lowest dose (or concentration) to cause lethal or toxic						
TC, TCa, LCia, & LCa	effects						
IARC	International Agency for Research on Cancer						
NTP	National Toxicology Program						
RTECS	Registry of Toxic Effects of Chemical Substances						
BCF	Bioconcentration Factor						
TLm	Median threshold limit						
log Kow or log Koc	Coefficient of Oil/Water Distribution						

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
D\$L	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	EU European Union (European Union Directive 67/548/EEC)					
CPR	CPR Canada's Controlled Product Regulations					

EC INFORMATION:

	N. J.		*		8	*	
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	OxldizIng	Toxic	Irrilant	Harmful

WHMIS INFORMATION:

\oslash				(T)	®	(F. S.)	
Α	В	С	D1	D2	D3	Е	F
Compressed	Flammable	Oxidizing	Toxic	Intation	Infectious	Corrosive	Reactive