

Safety Data Sheet

20% Total Restroom Cleaner

Section 1. Identification

Product Identifier 20% Total Restroom Cleaner

Synonyms N/A Manufacturer Stock N/A

Numbers

Recommended use Acid Bowl Cleaner

Uses advised against N/A

Manufacturer Contact Address

Pro Link, Inc

500 Chapman Street Canton, MA 02021

USA

Phone Emergency Phone Fax

(800) 745-4657 (866) 303-6948 (781) 828-9551

Website

www.prolinkhq.com

Section 2. Hazards Identification

Classification Signal Word Pictogram SKIN CORROSION/IRRITATION - Category 1B

Danger



Hazard Statements
Precautionary Statements
Response

Causes severe skin burns and eye damage

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If inhaled: Remove person to fresh air and keep comfortable for breathing. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Immediately call a poison center/doctor. Wash contaminated clothing before reuse.

Prevention Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/international

regulations.

Ingredients of unknown

toxicity

0%

Hazards not Otherwise Classified

No Data Available

Section 3. Ingredients

CAS	Ingredient Name	Weight %
68424-85-1	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	0.2 %
9016-45-9	Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-	0.5 %
7664-38-2	Phosphoric acid	20 %

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

Eye Immediately flush with plenty of water. After initial flushing, remove any contact

lenses and continue flushing for at least 15 minutes. Have eyes examined and

tested by medical personnel.

Skin In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Get medical attention immediately. Thoroughly wash (or discard) clothing and shoes before reuse.

Inhalation If exposed to excessive levels of dusts or fumes, remove to fresh air and get

medical attention if cough or other symptoms develop.

Ingestion If swallowed, do NOT induce vomiting. Give victim a glass of water or milk. Call a

physician or poison control center immediately. Never give anything by mouth to

an unconscious person.

Section 5. Fire Fighting Measures

Suitable Extinguishing

Media

Use alcohol foam, carbon dioxide, or water spray when fighting fires involving

this material.

N/A

Unsuitable Extinguishing

Media

Fire fighting instructions

As in any fire, wear self-contained breathing apparatus pressure-demand,

MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6. Accidental Release Measures

LARGE SPILLS SMALL SPILLS Stop leak at source and collect into suitable container, then treat as a small spill. Absorb with an inert solid and scoop up for disposal, then rinse soiled area with

water.

Section 7. Handling and Storage

Storage Store in a cool dry place. Keep away from food and drinking water. Keep

container closed when not in use.

Handling Avoid contact with eyes, skin, and clothing. Do not breathe (dust, vapor, mist,

gas). Wash thoroughly after handling. Follow all SDS/label precautions even after container is emptied because they may retain product residues.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	N/A	N/A	N/A
	Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-	N/A	N/A	N/A
	Phosphoric acid	N/A	N/A	N/A

Personal Protective Equipment

202

Goggles, Gloves, Apron, Face Shield

Eyes: Safety glasses or goggles.

Skin: Nitrile or polyethylene gloves and aprons. Do not use cotton.

Ventilation: Positive down-draft exhaust ventilation should be provided to

maintain vapor concentration below TLV.

Respiratory: Not available

Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Pink/Clear
Odor	Cherry
Odor Threshold	N/A
Solubility	Complete
Partition coefficient Water/n-octanol	N/A
VOC%	N/A
Viscosity	N/A
Specific Gravity	1.05
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	N/A
FP Method	N/A
Ph	<1
Melting Point	N/A
Boiling Point	212 Deg. F
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	N/A
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	N/A
Vapor Density	N/A

Section 10. Stability and Reactivity

Stability Chemical Stability: Stable

Conditions to Avoid: Temperature Extremes Incompatibility: Chlorine Bleach, Oxidizers, Acids Hazardous Decomposition: Will not occur

Hazardous Polymerization: Will not occur

Additional Information

Section 11. Toxicological Information

Toxicological Information

Primary Route(s) of Entry: Skin contact /absorption and inhalation Signs and Symptoms of Overexposure: Gastrointestinal irritation (nausea, vomiting, diarrhea), irritation to nose, throat, and respiratory tract.

Target Organ Effects: Overexposure to this material (or its components) has been suggested as a cause of the following effects in laboratory animals and may aggravate pre-existing disorders or these organs in humans: chronic ingestion may cause kidney and liver lesions at high doses.

IMMEDIATE HEALTH EFFECTS

EYES: Corrosive. Exposure will cause noticeable pain, and severe irritation and transient corneal injury.

SKIN: Corrosive. Causes chemical burns. Harmful contact may not cause immediate pain. Ethylene glycol monobutyl ether and 2-aminoethanol may be absorbed through the skin.

INHALATION: Exposure to vapor or mist is possible. Short term inhalation is not likely to cause harmful effects:

breathing large amounts may be harmful. Symptoms are more typically seen at air concentrations

exceeding the recommended exposure limits.

INGESTION: Harmful or fatal if swallowed. Causes chemical burns to the mouth, throat and stomach.

REPRODUCTIVE / DEVELOPMENTAL INFORMATION

No Data

CARCINOGENIC INFORMATION: This material is not listed as a carcinogen by

IARC, NTP, or OSHA

LONG TERM EFFECTS: No Data

Section 12. Ecological Information

No Data Available

Section 13. Disposal

WASTE DISPOSAL METHOD:

For proper disposal of waste, refer to federal and state regulations.

Section 14. Transport Information

UN Number 1789

UN Proper Shipping Name Hydrofloric Acid DOT Classification Corrosive

Packing Group II

Section 15. Regulatory Information

Regulatory Statement US Federal Regulations

TSCA (Toxic Substances Control Act) Status

TSCA (United States) The intentional ingredients of this product are listed.

CERCLA RQ - 40 CFR 355 Appendix A:None SARA 302 Components 40 CFR Appendix A: None Section 311/312 Hazard Class 40 CFR 370.2

Immediate (X) Delayed (X) Fire () Reactivity () Sudden Release of Pressure ()

SARA 313 Components - 40 CFR 372.65

* Listed in Section 2 as Diethylene Glycol Monomethyl Ether

State and Local Regulations California Proposition 65: None

California SCAQMD Rule 443.1 VOC's: > 100g/L

North Carolina Administrative Code 2D.1104 and 2B.0610 None South Carolina Regulation 62.5 Standard Number 8: None

Section 16. Other Information

DISCLAIMER:

Revision Date 4/2/2015

The information contained herein is believed to be accurate and is offered in good faith. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Mixing this product with any other materials may change the characteristics such as flash point, flammability or health effects. Because product use is beyond our control, no warranty is given, expressed or implied.