Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 11/11/2016 Revision date: 11/11/2016 Version: 1.0

SECTION 1: Identification

Product identifier

Product name : PurCheck : Not available Product code

Recommended use and restrictions on use

Use of the substance/mixture : Smoke Alarm Tester

1.3. Supplier

Supplier

HSI Fire and Safety Group, LLC 107 Garlisch Drive Elk Grove Village, IL - U.S.A. T+1 (847) 427-8340 - F+1 (847) 427-834

tbarakat@hsifiresafety.com

HSI Fire and Safety Group, LLC

unit # 1252

3-1750 The Queensway Etobicoke, ON M9C5H5

Emergency telephone number

Emergency number : CHEMTREC 1 (800) 424-9300

SECTION 2: Hazard identification

Classification of the substance or mixture

Classification (GHS-CA)

Liquefied gas H280 Simple Asphy H380

GHS Label elements, including precautionary statements

GHS-CA labelling

Hazard pictograms (GHS-CA)



Signal word (GHS-CA) : Warning

Hazard statements (GHS-CA) H280 - Contains gas under pressure; may explode if heated

H380 - May displace oxygen and cause rapid suffocation

Precautionary statements (GHS-CA) P410+P403 - Protect from sunlight. Store in a well-ventilated place

Other hazards 2.3.

No additional information available

Unknown acute toxicity (GHS-CA)

Not applicable

SECTION 3: Composition/information on ingredients

Substances

Not applicable

3.2. **Mixtures**

Name	Product identifier	%
1-Propene, 1,3,3,3-tetrafluoro-, (1E)-	(CAS No) 29118-24-9	98

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures after inhalation : If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists.

Thaw frosted parts with lukewarm water. Do not rub affected area.

In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. First-aid measures after eye contact

If irritation persists, get medical attention. Thaw frosted parts with lukewarm water. Do not rub affected area.

11/11/2016 EN (English) Page 1



Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

First-aid measures after ingestion

: Not a normal route of exposure. If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

I.2. Most important symptoms and effects (acute and delayed)

Symptoms/injuries after inhalation

: May cause respiratory tract irritation. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Symptoms of oxygen deficiency include respiratory difficulty, headache, dizziness, nausea, unconsciousness or death.

Symptoms/injuries after skin contact

: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause frostbite on contact with the liquefied gas.

Symptoms/injuries after eye contact

May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May cause frostbite on contact with the

liquefied gas.

Symptoms/injuries after ingestion

: Not a normal route of exposure. May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment

: Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Treat for surrounding material.

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media

: None known.

5.3. Specific hazards arising from the hazardous product

Fire hazard

 Products of combustion may include, and are not limited to: oxides of carbon. Hydrogen fluoride. Carbonyl fluoride.

Explosion hazard

: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting

: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Use water spray to keep fire-exposed containers cool. Use water spray to disperse the vapours.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.

6.2. Methods and materials for containment and cleaning up

For containment

: Stop leak if safe to do so. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks).

Methods for cleaning up

: Provide ventilation. Allow the residual product to evaporate.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Container may explode if heated. . Pressurized container: Do not pierce or burn, even after use. When using do not eat, drink or smoke. Use only in well-ventilated areas.

Hygiene measures

: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep out of the reach of children. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls

: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

11/11/2016 EN (English) 2/5



Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Individual protection measures/Personal protective equipment

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear chemically resistant protective gloves.

Safety glasses or goggles are recommended when using product. Eye protection

Skin and body protection Wear suitable protective clothing.

A NIOSH approved respirator is recommended in poorly ventilated areas or when permissible Respiratory protection

exposure limits may be exceeded. Respirator selection must be based on known or anticipated

exposure levels, the hazards of the product and the safe working limits of the selected

respirator.

Environmental exposure controls Maintain levels below Community environmental protection thresholds.

Do not eat, smoke or drink where material is handled, processed or stored. Wash hands Other information

carefully before eating or smoking. Handle according to established industrial hygiene and

safety practices.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid Appearance Aerosol Colour Colourless Odour Odourless Odour threshold No data available No data available pH solution No data available Relative evaporation rate (butylacetate=1) : No data available

Relative evaporation rate (ether=1)

: < -75 °C (< -103 °F) Melting point Freezing point : No data available : -19.4 °C (-3 °F) **Boiling point**

Flash point

Auto-ignition temperature : > 462 °C (> 863 °F) Decomposition temperature : No data available : Not flammable Flammability (solid, gas)

Vapour pressure : 3.24 bar @ 21.1 °C (70 °F), 47 psig; 9.66 bar @ 54.4 °C (130 °F), 140 psig

Vapour pressure at 50 °C : No data available : 4 @ 21.1 °C (70 °F) Relative vapour density at 20 °C

Relative density : 1.17 g/ml @ 21.1 °C (70 °F); 1.06 g/ml @ 54.4 °C (130 °F)

Relative density of saturated gas/air mixture : No data available Density : No data available Relative gas density No data available

Water: 0.008 % @ 21.1 °C (70 °F) Solubility

Partition coefficient n-octanol/water 1.43

Log Kow : No data available : No data available Viscosity, kinematic

Viscosity, dynamic < 0.6 cP @ 21.1 °C (70 °F)

Explosive properties No data available : No data available Oxidising properties

Explosive limits : None

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1.

11/11/2016

Reactivity : No dangerous reaction known under conditions of normal use.

Stable under normal storage conditions. Contents under pressure. Container may explode if Chemical stability

heated. Do not puncture. Do not burn.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : Incompatible materials. Sources of ignition. Direct sunlight. Moisture.

Incompatible materials : Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products : May include, and are not limited to: oxides of carbon. Hydrogen fluoride. Carbonyl fluoride.

3/5



Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.

Acute toxicity (dermal) : Not classified.

Acute toxicity (inhalation) : Not classified.

PurCheck	ırCheck	
LD50 oral rat	No data available	
LD50 dermal rabbit	No data available	
LC50 inhalation rat	No data available	
Skin corrosion/irritation	: Not classified.	

Serious eye damage/irritation : Not classified. Respiratory or skin sensitization : Not classified. Germ cell mutagenicity : Not classified. Carcinogenicity Not classified. Reproductive toxicity Not classified STOT-single exposure : Not classified. STOT-repeated exposure : Not classified. Aspiration hazard : Not classified.

PurCheck		
Vaporizer	Aerosol	

Symptoms/injuries after inhalation : May cause respiratory tract irritation. Intentional misuse by deliberately concentrating and

inhaling the contents may be harmful or fatal. Symptoms of oxygen deficiency include respiratory difficulty, headache, dizziness, nausea, unconsciousness or death.

Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause frostbite on contact with the liquefied gas.

May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. May cause frostbite on contact with the

liquefied gas.

Symptoms/injuries after ingestion : Not a normal route of exposure. May be harmful if swallowed. May cause stomach distress,

nausea or vomiting.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

Symptoms/injuries after eye contact

PurCheck	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

PurCheck	
Partition coefficient n-octanol/water	1.43
Bioaccumulative potential	Not established.

12.4. Mobility in soi

	12.4. WODING III SOII	
PurCheck		
	Partition coefficient n-octanol/water	1.43

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

11/11/2016 EN (English) 4/5



Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 14: Transport information

4.1. Basic shipping description

In accordance with TDG

TDG

UN-No. (TDG) : UN1950 TDG Primary Hazard Classes : 2.2

Transport document description : UN1950 AEROSOLS (non-flammable), 2.2
Proper Shipping Name (TDG) : Aerosols, non-flammable, limited quantities

Hazard labels (TDG)



14.2. Transport information/DOT

No additional information available

14.3. Air and sea transport

IMDG

UN-No. (IMDG) : 1950
Proper Shipping Name (IMDG) : AEROSOLS
Class (IMDG) : 2 - Gases

IATA

UN-No. (IATA) : 1950

Proper Shipping Name (IATA) : Aerosols, non-flammable

Class (IATA) : 2

SECTION 15: Regulatory information

15.1. National regulations

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

15.2. International regulations

No additional information available

SECTION 16: Other information

Date of issue : 11/11/2016

Revision date : 11/11/2016

Indication of changes:

Other information : None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

