

JIG-A-LOO CANADA INC.
1100 rue du CONDE,
MONTREAL; ONTARIO; H3K 2E3
CANADA

PRODUCT: 10251-01-011 JIG1601 JIG-A-LOO 311G



Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER MANUFACTURED FOR:
JIG-A-LOO CANADA INC.
1100 rue du CONDE, MONTREAL, H3K 2E3 (514-768-2867)
For Chemical Emergency
Spill Leak Fire Exposure or Accident
Call CHEMTREC Day or Night
DOMESTIC NORTH AMERICA 800-424-9300
INTERNATIONAL, CALL 703-527-3887 (collect calls accepted)

PRODUCT NAME..... 10251-01-011 JIG1601 JIG-A-LOO 311G
CHEMICAL FAMILY..... CHLORINATED HYDROCARBON.
MOLECULAR WEIGHT..... NOT APPLICABLE.
CHEMICAL FORMULA..... MIXTURE.
TRADE NAMES & SYNONYMS..... 10251-01-011 JIG1601 JIG-A-LOO 311G
PRODUCT USES..... LUBRICANT.
FORMULATION NUMBER..... 004-1-167-B.
FORMULA/LAB BOOK #..... 99-1882B.

Section 02: COMPOSITION/INFORMATION INGREDIENTS

Hazardous Ingredients	%	Exposure Limit	C.A.S.#	LD/50, Route,Species	LC/50 Route,Species
METHYLENE CHLORIDE	30-60	50 ppm	75-09-2	2100 mg/kg ORAL - RAT	88,000 mg/m ³ (1/2 hr) INHAL - RAT
PERCHLOROETHYLENE (TETRACHLOROETHYLENE)	10-30	25 ppm	127-18-4	2629 mg/kg ORAL - RAT	5200 ppm (4 Hr) INHAL - MOUSE
PROPANE	5-10	1000 ppm	74-98-6	NOT APPLICABLE	NOT AVAILABLE
ISOBUTANE	7-13	1000 ppm	75-28-5	NOT APPLICABLE	142,500 ppm (4h) INHAL - RAT

Section 03: HAZARDS IDENTIFICATION

ROUTE OF ENTRY:
INGESTION..... MAY CAUSE HEADACHE, NAUSEA, VOMITING AND WEAKNESS.
INHALATION..... METHYLENE CHLORIDE VAPOURS CAN READILY ACCUMULATE IN POORLY VENTILLATED
AREAS AND CAN CAUSE UNCONSCIOUSNESS. PROPELLANT IS A SIMPLE ASPHYXIANT.

EYE CONTACT..... MAY CAUSE IRRITATION.
SKIN ABSORPTION..... NO DATA AVAILABLE FOR THIS PRODUCT MIXTURE.
SKIN CONTACT..... METHYLENE CHLORIDE-PROLONGED OR REPEATED EXPOSURE MAY CAUSE SKIN
IRRITATION.

EFFECTS OF ACUTE EXPOSURE..... METHYLENE CHLORIDE OVEREXPOSURE MAY LEAD TO CENTRAL NERVOUS SYSTEM
DEPRESSION AND CARDIAC SENSITIZATION.
EFFECTS OF CHRONIC EXPOSURE..... METHYLENE CHLORIDE MAY HAVE CENTRAL NERVOUS SYSTEM EFFECTS. SOLVENTS MAY
CAUSE DEFATTING DERMATITIS
EXPOSURE LIMIT OF MATERIAL..... SEE SECTION 2.

Section 04: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURE IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15
MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH THOROUGHLY WITH SOAP AND
WATER. IF AFFECTED BY INHALATION OF VAPOUR OR SPRAY MIST, REMOVE TO FRESH AIR.
IF SWALLOWED; DO NOT INDUCE VOMITING, GET MEDICAL ATTENTION.

Section 05: FIRE FIGHTING MEASURES

AUTO IGNITION TEMPERATURE (°C)..... NOT AVAILABLE.
SPECIAL PROCEDURES..... WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS TO
PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES. FULL PROTECTIVE
EQUIPMENT INCLUDING SELF CONTAINED BREATHING APPARTATUS SHOULD BE WORN IN A
FIRE INVOLVING THIS MATERIAL.

FLAMMABILITY..... FLAMMABLE.
IF YES, UNDER WHICH CONDITIONS?..... EXCESSIVE HEAT, SPARKS AND OPEN FLAME.
EXTINGUISHING MEDIA..... WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.
UPPER FLAMMABLE LIMIT..... 22.
(% BY VOLUME)
LOWER FLAMMABLE LIMIT..... 1.9.
(% BY VOLUME)

EXPLOSION DATA
SENSITIVITY TO STATIC DISCHARGE..... NOT APPLICABLE.
SENSITIVITY TO IMPACT..... NOT APPLICABLE.

PRODUCT: 10251-01-011 JIG1601 JIG-A-LOO 311G**Section 05: FIRE FIGHTING MEASURES**

HAZARDOUS COMBUSTION PRODUCTS..... POSSIBLE PHOSGENE OVER 250 DEG C, CHLORINE GAS, HYDROCHLORIC ACID. HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.

AEROSOL FLAME PROJECTION CLASSIFIED AS:..... 15 - 45cm.

FLASHBACK..... NONE.

FLASH POINT(°C),TAG CLOSED-CUP NONE.
(CONCENTRATE)

Section 06: ACCIDENTAL RELEASE MEASURES

LEAK/SPILL..... REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND NON-SPARKING TOOLS. VENTILATE AREA. PREVENT FROM ENTERING A WATERCOURSE.

Section 07: HANDLING AND STORAGE

STORAGE NEEDS..... KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES.

ENGINEERING CONTROLS..... VENTILATION - LOCAL (MECHANICAL IF USED INDOORS ON A CONTINUOUS BASIS).

HANDLING PROCEDURES AND EQUIPMENT..... STORE IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C.

SYNERGISTIC MATERIALS..... NONE KNOWN.

Section 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

GLOVES/ TYPE..... WEAR CHEMICAL RESISTANT GLOVES.

RESPIRATORY/TYPE..... IF USED INDOORS ON A CONTINUOUS BASIS, USE OF A CARTRIDGE TYPE RESPIRATOR (NIOSH/MSHATC 23C OR EQUIVALENT) IS RECOMMENDED.

EYE/TYPE..... SAFETY GLASSES.

FOOTWEAR/TYPE..... NOT NORMALLY REQUIRED.

OTHER/TYPE..... NOT REQUIRED.

Section 09: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE..... AEROSOL.

APPEARANCE..... CLEAR LIQUID.

ODOR..... CHLORINATED HYDROCARBON.

ODOR THRESHOLD..... NOT AVAILABLE.

VAPOUR PRESSURE(PSIG)-AEROSOL..... 30 - 40.
@ 20 C

BOILING POINT (°C)(CONC)..... 39.8-121.

EVAPORATION RATE..... GREATER THAN 1.

n-BUTYL ACETATE = 1
VAPOUR DENSITY (AIR=1)..... GREATER THAN 1.
(BY WEIGHT)

SOLUBILITY IN WATER g/L (20°C)..... NOT AVAILABLE.

pH..... NOT APPLICABLE.

SPECIFIC GRAVITY (LIQUID)..... 1.37-1.41.

COEFFICIENT OF WATER/OIL DIST..... NOT AVAILABLE.

FREEZING POINT: (°C)..... NOT AVAILABLE.

AEROSOL PERCENT VOLATILE..... 97-98.
(BY WEIGHT).

SPECIFIC GRAVITY (AEROSOL)..... 1.03-1.07.

AEROSOL PERCENT VOC (w/w)..... 20-21.

Section 10: STABILITY AND REACTIVITY

HAZARDOUS PRODUCTS OF DECOMPOSITION..... POSSIBLE PHOSGENE OVER 250 DEG C, CHLORINE GAS, HYDROCHLORIC ACID. HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.

CHEMICAL STABILITY:
YES..... UNDER NORMAL CONDITIONS.

NO, WHICH CONDITIONS?..... NOT APPLICABLE.

COMPATIBILITY WITH OTHER SUBSTANCES:
NO, WHICH ONES?..... STRONG OXIDIZING AGENTS.

REACTIVITY CONDITIONS?..... NOT APPLICABLE.

HAZARDOUS POLYMERIZATION..... WILL NOT OCCUR.

Section 11: TOXICOLOGICAL INFORMATION

REPRODUCTIVE EFFECTS..... NO INFORMATION IS AVAILABLE AND NO ADVERSE REPRODUCTIVE EFFECTS ARE ANTICIPATED.

IRRITANCY OF MATERIAL..... SKIN/EYE IRRITANT.

SENSITIZING CAPABILITY OF MATERIAL..... UNKNOWN.

CARCINOGENICITY OF MATERIAL..... METHYLENE CHLORIDE HAS BEEN LISTED AS A POTENTIAL CARCINOGEN BY IARC. PERCHLOROETHYLENE HAS BEEN LISTED AS A POTENTIAL CARCINOGEN BY IARC.

TERATOGENICITY..... NO INFORMATION IS AVAILABLE AND NO ADVERSE TERATOGENIC EFFECTS ARE ANTICIPATED.

MUTAGENICITY..... NO INFORMATION IS AVAILABLE AND NO ADVERSE MUTAGENIC EFFECTS ARE ANTICIPATED.

PRODUCT: 10251-01-011 JIG1601 JIG-A-LOO 311G

Section 12: ECOLOGICAL CONSIDERATIONS

ENVIRONMENTAL..... NOT AVAILABLE.

Section 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL..... DO NOT PUNCTURE OR INCINERATE CONTAINERS, EVEN WHEN EMPTY. DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.

Section 14: TRANSPORTATION INFORMATION

T.D.G. CLASSIFICATION..... CONSUMER COMMODITY (AEROSOLS, UN1950, CLASS 2.1 (6.1)).
D.O.T. CLASSIFICATION..... CONSUMER COMMODITY, ORM-D.

Section 15: REGULATORY INFORMATION

CANADIAN REGULATIONS:

WHMIS CLASSIFICATION..... A,B5,D1B,D2A,D2B.
CNFC SECTION 3.3.5..... LEVEL 1.
CEPA (Canadian Environmental Protection Act) ALL SUBSTANCES IN THIS PRODUCT ARE LISTED ON THE CANADIAN DOMESTIC SUBSTANCES LIST (DSL) OR ARE NOT REQUIRED TO BE LISTED.

U.S. REGULATIONS:

HMIS RATING HEALTH..... 2 MODERATE HAZARD.
HMIS RATING FLAMMABILITY..... 4 SEVERE HAZARD.
HMIS RATING REACTIVITY..... 0 MINIMAL HAZARD.
HMIS RATING PERSONAL PROTECTION..... B.
NFPA CODE 30B..... LEVEL 1.
SARA 313 INFORMATION: THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372:
CAS #: CHEMICAL NAME:
*127-18-4 PERCHLOROETHYLENE (TETRACHLOROETHYLENE)
*75-09-2 METHYLENE CHLORIDE
(DICHLOROMETHANE)

CALIFORNIA PROPOSITION 65:..... THE FOLLOWING STATEMENT IS MADE IN ORDER TO COMPLY WITH THE CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986:
WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.
CAS #: CHEMICAL NAME:
*127-18-4 TETRACHLOROETHYLENE
*75-09-2 METHYLENE CHLORIDE (DICHLOROMETHANE)
TSCA (Toxic Substances Control Act)..... ALL COMPONENT OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. ANY IMPURITIES PRESENT IN THIS PRODUCT ARE EXEMPT FROM LISTING.
VOC (w/w%)..... 20-21.

Section 16: OTHER INFORMATION

NOTICE FROM JIG-A-LOO CANADA INC..... THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET IS PROVIDED BY JIG-A-LOO CANADA INC. FREE OF CHARGE. WHILE BELIEVED TO BE RELIABLE, IT IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK. JIG-A-LOO CANADA INC. ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OR DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS.
PREPARED BY..... TECHNICAL SERVICES
PREPARATION DATE Jun27/08